



NOTES:

SOCKET MATERIAL: BERYLLIUM COPPER  
 SOCKET DEPTH: 4.00 REF.

BASE MATERIAL: NYLON 66  
 BASE COLOR: NATURAL WHITE

PIN MATERIAL: BRASS  
 PIN PLATING: TIN 200 µ"

MAX OPERATING TEMP.: 80°C  
 MATING CYCLES: 100 CYCLES

<table border="1"> <tr> <td>G</td> <td>ADD LEAD LENGTH</td> <td>7/25/17</td> </tr> <tr> <td>F</td> <td>DELETE SOCKET PLATING NOTE</td> <td>10/2/16</td> </tr> <tr> <td>E</td> <td>ADD TEMP &amp; CYCLES INFO</td> <td>3/30/16</td> </tr> <tr> <td>D</td> <td>ADD DIMENSIONS</td> <td>11/14/08</td> </tr> <tr> <td>C</td> <td>ADDED NOTES</td> <td>10/21/08</td> </tr> <tr> <td>B</td> <td>CHANGE IN MECH. DESIGN</td> <td>5/12/03</td> </tr> <tr> <td>A</td> <td>RELEASED IN CAD</td> <td>6/18/02</td> </tr> </table>			G	ADD LEAD LENGTH	7/25/17	F	DELETE SOCKET PLATING NOTE	10/2/16	E	ADD TEMP & CYCLES INFO	3/30/16	D	ADD DIMENSIONS	11/14/08	C	ADDED NOTES	10/21/08	B	CHANGE IN MECH. DESIGN	5/12/03	A	RELEASED IN CAD	6/18/02	<p><b>METRIC</b></p> <p>THIRD ANGLE PROJECTION</p>		<p>DIMENSIONS ARE IN MILLIMETERS</p> <p>TOLERANCE UNLESS OTHERWISE SPECIFIED</p> <p>1 PL +/- 0.2</p> <p>2 PL +/- 0.20</p> <p>ANGLE +/-</p>		<p><b>JKL COMPONENTS CORPORATION</b></p> <p>TITLE: T-1 3/4 BI-PIN LAMP SOCKET</p>			
G	ADD LEAD LENGTH	7/25/17																													
F	DELETE SOCKET PLATING NOTE	10/2/16																													
E	ADD TEMP & CYCLES INFO	3/30/16																													
D	ADD DIMENSIONS	11/14/08																													
C	ADDED NOTES	10/21/08																													
B	CHANGE IN MECH. DESIGN	5/12/03																													
A	RELEASED IN CAD	6/18/02																													
<p>DRAWN BY: L. WENGSTROM</p> <p>APPV'D BY: L.R.</p> <p>DATE: 7/25/17</p>			<p>SIZE: <b>A</b></p>	<p>FSCM NO.: <b>55335</b></p>	<p>DRAWING NO.: <b>2914</b></p>																										
<p>REV. NO. DESCRIPTION/ECO NUMBER</p>			<p>APPV'D DATE</p>		<p>SCALE: NONE</p>		<p>RELEASED DATE: 6/18/02</p>	<p>REVISION DATE: 7/25/17</p>	<p>REV. NO.: <b>G</b></p>	<p>SHEET 1 OF 1</p>																					